

CHAPTER 3: Cyclic and convolution codes

Cyclic codes are of interest and importance because

- They possess rich algebraic structure that can be utilized in a variety of ways.
- They have extremely concise specifications.
- They can be efficiently implemented using simple [shift registers](#).
- Many practically important codes are cyclic.

Convolution codes allow to encode streams of data (bits).

IMPORTANT NOTE

In order to specify a binary code with 2^k codewords of length n one may need to write down

$$2^k$$

codewords of length n .

In order to specify a linear binary code with 2^k codewords of length n it is sufficient to write down

$$k$$

codewords of length n .

In order to specify a binary cyclic code with 2^k codewords of length n it is sufficient to write down

$$1$$

codeword of length n .

BASIC DEFINITION AND EXAMPLES

Definition A code C is cyclic if

(i) C is a linear code;

(ii) any cyclic shift of a codeword is also a codeword, i.e. whenever $a_0, \dots, a_{n-1} \in C$, then also $a_{n-1} a_0 \dots a_{n-2} \in C$.

Example

(i) Code $C = \{000, 101, 011, 110\}$ is cyclic.

(ii) Hamming code $Ham(3, 2)$: with the generator matrix

$$G = \begin{pmatrix} 1 & 0 & 0 & 0 & 0 & 1 & 1 \\ 0 & 1 & 0 & 0 & 1 & 0 & 1 \\ 0 & 0 & 1 & 0 & 1 & 1 & 0 \\ 0 & 0 & 0 & 1 & 1 & 1 & 1 \end{pmatrix}$$

is equivalent to a cyclic code.

(iii) The binary linear code $\{0000, 1001, 0110, 1111\}$ is not a cyclic, but it is equivalent to a cyclic code.

(iv) Is Hamming code $Ham(2, 3)$ with the generator matrix

$$\begin{pmatrix} 1 & 0 & 1 & 1 \\ 0 & 1 & 1 & 2 \end{pmatrix}$$

(a) cyclic?

(b) equivalent to a cyclic code?

FREQUENCY of CYCLIC CODES

Comparing with linear codes, the cyclic codes are quite scarce. For, example there are 11 811 linear $(7,3)$ linear binary codes, but only two of them are cyclic.

Trivial cyclic codes. For any field F and any integer $n \geq 3$ there are always the following cyclic codes of length n over F :

- **No-information code** - code consisting of just one all-zero codeword.
- **Repetition code** - code consisting of codewords (a, a, \dots, a) for $a \in F$.
- **Single-parity-check code** - code consisting of all codewords with parity 0.
- **No-parity code** - code consisting of all codewords of length n

For some cases, for example for $n = 19$ and $F = GF(2)$, the above four trivial cyclic codes are the only cyclic codes.

EXAMPLE of a CYCLIC CODE

The code with the generator matrix

$$G = \begin{pmatrix} 1 & 0 & 1 & 1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 1 & 1 & 1 & 0 \\ 0 & 0 & 1 & 0 & 1 & 1 & 1 \end{pmatrix}$$

has codewords

$$\begin{array}{lll} c_1 = 1011100 & c_2 = 0101110 & c_3 = 0010111 \\ c_1 + c_2 = 1110010 & c_1 + c_3 = 1001011 & c_2 + c_3 = 0111001 \\ c_1 + c_2 + c_3 = 1100101 \end{array}$$

and it is cyclic because the right shifts have the following impacts

$$\begin{array}{lll} c_1 \rightarrow c_2, & c_2 \rightarrow c_3, & c_3 \rightarrow c_1 + c_3 \\ c_1 + c_2 \rightarrow c_2 + c_3, & c_1 + c_3 \rightarrow c_1 + c_2 + c_3, & c_2 + c_3 \rightarrow c_1 \\ c_1 + c_2 + c_3 \rightarrow c_1 + c_2 \end{array}$$

POLYNOMIALS over $GF(q)$

A codeword of a cyclic code is usually denoted

$$a_0 a_1 \dots a_{n-1}$$

and to each such a codeword the polynomial

$$a_0 + a_1 x + a_2 x^2 + \dots + a_{n-1} x^{n-1}$$

is associated.

$F_q[x]$ denotes the set of all polynomials over $GF(q)$.

$\deg(f(x))$ = the largest m such that x^m has a non-zero coefficient in $f(x)$.

Multiplication of polynomials If $f(x), g(x) \in F_q[x]$, then

$$\deg(f(x)g(x)) = \deg(f(x)) + \deg(g(x)).$$

Division of polynomials For every pair of polynomials $a(x), b(x) \neq 0$ in $F_q[x]$ there exists a unique pair of polynomials $q(x), r(x)$ in $F_q[x]$ such that

$$a(x) = q(x)b(x) + r(x), \deg(r(x)) < \deg(b(x)).$$

Example Divide $x^3 + x + 1$ by $x^2 + x + 1$ in $F_2[x]$.

Definition Let $f(x)$ be a fixed polynomial in $F_q[x]$. Two polynomials $g(x), h(x)$ are said to be **congruent** modulo $f(x)$, notation

$$g(x) \equiv h(x) \pmod{f(x)},$$

if $g(x) - h(x)$ is divisible by $f(x)$.

RING of POLYNOMIALS

The set of polynomials in $F_q[x]$ of degree less than $\deg(f(x))$, with addition and multiplication modulo $f(x)$ forms a **ring denoted** $F_q[x]/f(x)$.

Example Calculate $(x + 1)^2$ in $F_2[x] / (x^2 + x + 1)$. It holds

$$(x + 1)^2 = x^2 + 2x + 1 \equiv x^2 + 1 \equiv x \pmod{x^2 + x + 1}.$$

How many elements has $F_q[x] / f(x)$?

Result $|F_q[x] / f(x)| = q^{\deg(f(x))}$.

Example Addition and multiplication in $F_2[x] / (x^2 + x + 1)$

+	0	1	x	1+x
0	0	1	x	1+x
1	1	0	1+x	x
x	x	1+x	0	1
1+x	1+x	x	1	0

•	0	1	x	1+x
0	0	0	0	0
1	0	1	x	1+x
x	0	x	1+x	1
1+x	0	1+x	1	x

Definition A polynomial $f(x)$ in $F_q[x]$ is said to be **reducible** if $f(x) = a(x)b(x)$, where $a(x), b(x) \in F_q[x]$ and

$$\deg(a(x)) < \deg(f(x)), \quad \deg(b(x)) < \deg(f(x)).$$

If $f(x)$ is not reducible, it is **irreducible** in $F_q[x]$.

Theorem The ring $F_q[x] / f(x)$ is a **field** if $f(x)$ is irreducible in $F_q[x]$.

FIELD R_n , $R_n = F_q[x] / (x^n - 1)$

Computation modulo $x^n - 1$

Since $x^n \equiv 1 \pmod{x^n - 1}$ we can compute $f(x) \pmod{x^n - 1}$ as follow:

In $f(x)$ replace x^n by 1, x^{n+1} by x , x^{n+2} by x^2 , x^{n+3} by x^3 , ...

Identification of words with polynomials

$$a_0 a_1 \dots a_{n-1} \leftrightarrow a_0 + a_1 x + a_2 x^2 + \dots + a_{n-1} x^{n-1}$$

Multiplication by x in R_n corresponds to a single cyclic shift

$$x (a_0 + a_1 x + \dots + a_{n-1} x^{n-1}) = a_{n-1} + a_0 x + a_1 x^2 + \dots + a_{n-2} x^{n-1}$$

Algebraic characterization of cyclic codes

Theorem A code C is cyclic if C satisfies two conditions

(i) $a(x), b(x) \in C \Rightarrow a(x) + b(x) \in C$

(ii) $a(x) \in C, r(x) \in R_n \Rightarrow r(x)a(x) \in C$

Proof

(1) Let C be a cyclic code. C is linear \Rightarrow (i) holds.

(ii) Let $a(x) \in C, r(x) = r_0 + r_1x + \dots + r_{n-1}x^{n-1}$

$$r(x)a(x) = r_0a(x) + r_1xa(x) + \dots + r_{n-1}x^{n-1}a(x)$$

is in C by (i) because summands are cyclic shifts of $a(x)$.

(2) Let (i) and (ii) hold

- Taking $r(x)$ to be a scalar the conditions imply linearity of C .
- Taking $r(x) = x$ the conditions imply cyclicity of C .

CONSTRUCTION of CYCLIC CODES

Notation If $f(x) \in R_n$, then

$$\langle f(x) \rangle = \{r(x)f(x) \mid r(x) \in R_n\}$$

(multiplication is modulo $x^n - 1$).

Theorem For any $f(x) \in R_n$, the set $\langle f(x) \rangle$ is a cyclic code (generated by f).

Proof We check conditions (i) and (ii) of the previous theorem.

(i) If $a(x)f(x) \in \langle f(x) \rangle$ and $b(x)f(x) \in \langle f(x) \rangle$, then

$$a(x)f(x) + b(x)f(x) = (a(x) + b(x))f(x) \in \langle f(x) \rangle$$

(ii) If $a(x)f(x) \in \langle f(x) \rangle$, $r(x) \in R_n$, then

$$r(x)(a(x)f(x)) = (r(x)a(x))f(x) \in \langle f(x) \rangle.$$

Example $C = \langle 1 + x^2 \rangle$, $n = 3$, $q = 2$.

We have to compute $r(x)(1 + x^2)$ for all $r(x) \in R_3$.

$$R_3 = \{0, 1, x, 1 + x, x^2, 1 + x^2, x + x^2, 1 + x + x^2\}.$$

Result

$$C = \{0, 1 + x, 1 + x^2, x + x^2\}$$

$$C = \{000, 011, 101, 110\}$$

Characterization theorem for cyclic codes

We show that all cyclic codes C have the form $C = \langle f(x) \rangle$ for some $f(x) \in R_n$.

Theorem Let C be a non-zero cyclic code in R_n . Then

- there exists unique monic polynomial $g(x)$ of the smallest degree such that
- $C = \langle g(x) \rangle$
- $g(x)$ is a factor of $x^n - 1$.

Proof

(i) Suppose $g(x)$ and $h(x)$ are two monic polynomials in C of the smallest degree.

Then the polynomial $g(x) - h(x) \in C$ and it has a smaller degree and a multiplication by a scalar makes out of it a monic polynomial. If $g(x) \neq h(x)$ we get a contradiction.

(ii) Suppose $a(x) \in C$.

Then

$$a(x) = q(x)g(x) + r(x) \quad (\deg r(x) < \deg g(x))$$

and

$$r(x) = a(x) - q(x)g(x) \in C.$$

By minimality

$$r(x) = 0$$

and therefore $a(x) \in \langle g(x) \rangle$.

Characterization theorem for cyclic codes

(iii) Clearly,

$$x^n - 1 = q(x)g(x) + r(x) \quad \text{with} \quad \deg r(x) < \deg g(x)$$

and therefore

$$\begin{aligned} r(x) &\equiv -q(x)g(x) \pmod{x^n - 1} \text{ and} \\ r(x) \in C &\Rightarrow r(x) = 0 \Rightarrow g(x) \text{ is a factor of } x^n - 1. \end{aligned}$$

GENERATOR POLYNOMIALS

Definition If for a cyclic code C it holds

$$C = \langle g(x) \rangle,$$

then g is called the **generator polynomial** for the code C .

HOW TO DESIGN CYCLIC CODES?

The last claim of the previous theorem gives a recipe to get all cyclic codes of given length n .

Indeed, all we need to do is to find all factors of $x^n - 1$.

Problem: Find all binary cyclic codes of length 3.

Solution: Since

$$x^3 - 1 = \underbrace{(x + 1)(x^2 + x + 1)}_{\text{both factors are irreducible in } GF(2)}$$

we have the following generator polynomials and codes.

Generator polynomials

1
 $x + 1$
 $x^2 + x + 1$
 $x^3 - 1 (= 0)$

Code in R_3

R_3
 $\{0, 1 + x, x + x^2, 1 + x^2\}$
 $\{0, 1 + x + x^2\}$
 $\{0\}$

Code in $V(3,2)$

$V(3,2)$
 $\{000, 110, 011, 101\}$
 $\{000, 111\}$
 $\{000\}$

Design of generator matrices for cyclic codes

Theorem Suppose C is a cyclic code of codewords of length n with the generator polynomial

$$g(x) = g_0 + g_1x + \dots + g_rx^r.$$

Then $\dim(C) = n - r$ and a generator matrix G_1 for C is

$$G_1 = \begin{pmatrix} g_0 & g_1 & g_2 & \dots & g_r & 0 & 0 & 0 & \dots & 0 \\ 0 & g_0 & g_1 & g_2 & \dots & g_r & 0 & 0 & \dots & 0 \\ 0 & 0 & g_0 & g_1 & g_2 & \dots & g_r & 0 & \dots & 0 \\ \dots & \dots & & & & & & & & \dots \\ 0 & 0 & \dots & 0 & 0 & \dots & 0 & g_0 & \dots & g_r \end{pmatrix}$$

Proof

(i) All rows of G_1 are linearly independent.

(ii) The $n - r$ rows of G represent codewords

$$g(x), xg(x), x^2g(x), \dots, x^{n-r-1}g(x)$$

(*)

(iii) It remains to show that every codeword in C can be expressed as a linear combination of vectors from (*).

Indeed, if $a(x) \in C$, then

$$a(x) = q(x)g(x).$$

Since $\deg a(x) < n$ we have $\deg q(x) < n - r$.

Hence

$$\begin{aligned} q(x)g(x) &= (q_0 + q_1x + \dots + q_{n-r-1}x^{n-r-1})g(x) \\ &= q_0g(x) + q_1xg(x) + \dots + q_{n-r-1}x^{n-r-1}g(x). \end{aligned}$$

EXAMPLE

The task is to determine all ternary codes of length 4 and generators for them.

Factorization of $x^4 - 1$ over $GF(3)$ has the form

$$x^4 - 1 = (x - 1)(x^3 + x^2 + x + 1) = (x - 1)(x + 1)(x^2 + 1)$$

Therefore there are $2^3 = 8$ divisors of $x^4 - 1$ and each generates a cyclic code.

Generator polynomial

$$1$$

$$x$$

$$x + 1$$

$$x^2 + 1$$

$$(x - 1)(x + 1) = x^2 - 1$$

$$(x - 1)(x^2 + 1) = x^3 - x^2 + x - 1$$

$$(x + 1)(x^2 + 1)$$

$$x^4 - 1 = 0$$

Generator matrix

$$I_4$$

$$\begin{bmatrix} -1 & 1 & 0 & 0 \\ 0 & -1 & 1 & 0 \\ 0 & 0 & -1 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 1 & 1 & 0 & 0 \\ 0 & 1 & 1 & 0 \\ 0 & 0 & 1 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 1 & 0 & 1 & 0 \\ 0 & 1 & 0 & 1 \end{bmatrix}$$

$$\begin{bmatrix} -1 & 0 & 1 & 0 \\ 0 & -1 & 0 & 1 \end{bmatrix}$$

$$[-1 \ 1 \ -1 \ 1]$$

$$[1 \ 1 \ 1 \ 1]$$

$$[0 \ 0 \ 0 \ 0]$$