


# Line Integral

Ordinary integral  $\int f(x) dx$ , we integrate along the  $x$ -axis. But for line integral, the integration is along a curve.

$$\int f(s) ds = \int f(x, y, z) ds$$



# Scalar Field, $V$ Integral

If there exists a scalar field  $V$  along a curve  $C$ ,  
then the line integral of  $V$  along  $C$  is defined by

$$\int_c V \, d\mathbf{r}$$

where  $d\mathbf{r} = dx \mathbf{i} + dy \mathbf{j} + dz \mathbf{k}$ .

**Example:**

If  $V = xy^2z$  and a curve  $C$  is given by

$$x = 3u, \quad y = 2u^2, \quad z = u^3,$$

then find  $\int_C V d\tilde{r}$  along  $C$

from  $A = (0,0,0)$  to  $B = (3,2,1)$ .

## Solution

Given  $V = xy^2z$   
 $= (3u)(2u^2)^2(u^3) = 12u^8.$

And,  $d\underset{\sim}{r} = dx\underset{\sim}{i} + dy\underset{\sim}{j} + dz\underset{\sim}{k}$   
 $= 3\underset{\sim}{du} i + 4u\underset{\sim}{du} j + 3u^2\underset{\sim}{du} k.$

At A = (0,0,0),  $3u = 0$ ,  $2u^2 = 0$ ,  $u^3 = 0$ ,  
 $\Rightarrow u = 0.$

At B = (3,2,1),  $3u = 3$ ,  $2u^2 = 2$ ,  $u^3 = 1$ ,  
 $\Rightarrow u = 1.$

$$\begin{aligned}
\therefore \int_A^B V d \underset{\sim}{r} &= \int_{u=0}^{u=1} (12u^8)(3du \underset{\sim}{i} + 4udu \underset{\sim}{j} + 3u^2du \underset{\sim}{k}) \\
&= \int_0^1 36u^8du \underset{\sim}{i} + \int_0^1 48u^9du \underset{\sim}{j} + \int_0^1 36u^{10}du \underset{\sim}{k} \\
&= \left[ 4u^9 \right]_0^1 \underset{\sim}{i} + \left[ \frac{24}{5}u^{10} \right]_0^1 \underset{\sim}{j} + \left[ \frac{36}{11}u^{11} \right]_0^1 \underset{\sim}{k} \\
&= 4 \underset{\sim}{i} + \frac{24}{5} \underset{\sim}{j} + \frac{36}{11} \underset{\sim}{k}.
\end{aligned}$$

**Exercise:**

If  $V = x^2yz^2$  and the curve  $C$  is given by

$$x = 4u, \quad y = 3u^3, \quad z = 2u^2,$$

calculate  $\int_C V d\mathbf{r}$  along the curve  $C$

from  $A = (0,0,0)$  to  $B = (4,3,2)$ .

**Answer**

$$\int_A^B V d\mathbf{r} = \frac{384}{5} \mathbf{i} + 144 \mathbf{j} + \frac{768}{11} \mathbf{k}.$$

# Vector Field Integral

Let a vector field

and

$$\underline{F} = F_x \underline{i} + F_y \underline{j} + F_z \underline{k}$$

The scalar product is written as

$$\underline{d}\underline{r} = dx \underline{i} + dy \underline{j} + dz \underline{k}.$$

$$\underline{F} \cdot \underline{d}\underline{r}$$

$$\begin{aligned}\underline{F} \cdot \underline{d}\underline{r} &= (F_x \underline{i} + F_y \underline{j} + F_z \underline{k}) \cdot (dx \underline{i} + dy \underline{j} + dz \underline{k}) \\ &= F_x dx + F_y dy + F_z dz.\end{aligned}$$

If a vector field  $\underline{F}$  is along the curve  $\underline{C}$ ,  
then the line integral of  $\underline{F}$  along the curve  $\underline{C}$   
from a point A to another point B is given by

$$\int_c \underline{F} \cdot d\underline{r} = \int_c F_x dx + \int_c F_y dy + \int_c F_z dz.$$

**Example :**

Calculate  $\int_C \mathbf{F} \cdot d\mathbf{r}$  from  $A = (0,0,0)$  to  $B = (4,2,1)$

along the curve  $x = 4t, y = 2t^2, z = t^3$  if

$$\mathbf{F} = \underset{\sim}{x^2} \underset{\sim}{y} \underset{\sim}{i} + \underset{\sim}{xz} \underset{\sim}{j} - \underset{\sim}{2yz} \underset{\sim}{k}.$$

## Solution

$$\begin{aligned}\text{Given } F &= \underset{\sim}{x^2} \underset{\sim}{y} \underset{\sim}{i} + \underset{\sim}{x} \underset{\sim}{z} \underset{\sim}{j} - \underset{\sim}{2} \underset{\sim}{y} \underset{\sim}{z} \underset{\sim}{k} \\&= (4t)^2 \underset{\sim}{(2t^2)} \underset{\sim}{i} + (4t) \underset{\sim}{(t^3)} \underset{\sim}{j} - 2 \underset{\sim}{(2t^2)} \underset{\sim}{(t^3)} \underset{\sim}{k} \\&= 32t^4 \underset{\sim}{i} + 4t^4 \underset{\sim}{j} - 4t^5 \underset{\sim}{k}.\end{aligned}$$

$$\begin{aligned}\text{And } d \underset{\sim}{r} &= \underset{\sim}{dx} \underset{\sim}{i} + \underset{\sim}{dy} \underset{\sim}{j} + \underset{\sim}{dz} \underset{\sim}{k} \\&= 4 \underset{\sim}{dt} \underset{\sim}{i} + 4t \underset{\sim}{dt} \underset{\sim}{j} + 3t^2 \underset{\sim}{dt} \underset{\sim}{k}.\end{aligned}$$

Then

$$\begin{aligned} \underset{\sim}{F} \cdot \underset{\sim}{d} \underset{\sim}{r} &= (\underset{\sim}{32t^4} \underset{\sim}{i} + \underset{\sim}{4t^4} \underset{\sim}{j} - \underset{\sim}{4t^5} \underset{\sim}{k})(\underset{\sim}{4dt} \underset{\sim}{i} + \underset{\sim}{4t dt} \underset{\sim}{j} + \underset{\sim}{3t^2 dt} \underset{\sim}{k}) \\ &= (32t^4)(4dt) + (4t^4)(4tdt) + (-4t^5)(3t^2dt) \\ &= 128t^4dt + 16t^5dt - 12t^7dt \\ &= (128t^4 + 16t^5 - 12t^7)dt. \end{aligned}$$

At  $\mathbf{A} = (0,0,0)$ ,  $4t = 0$ ,  $2t^2 = 0$ ,  $t^3 = 0$ ,

$$\Rightarrow t = 0.$$

and, at  $\mathbf{B} = (4,2,1)$ ,  $4t = 4$ ,  $2t^2 = 2$ ,  $t^3 = 1$ ,

$$\Rightarrow t = 1.$$

$$\begin{aligned}\therefore \int_A^B \underset{\sim}{F} \cdot d \underset{\sim}{r} &= \int_{t=0}^{t=1} (128t^4 + 16t^5 - 12t^7) dt \\&= \left[ \frac{128}{5}t^5 + \frac{8}{3}t^6 - \frac{3}{2}t^8 \right]_0^1 \\&= \frac{128}{5} + \frac{8}{3} - \frac{3}{2} \\&= 26\frac{23}{30}.\end{aligned}$$

**Exercise:**

If  $\underset{\sim}{F} = \underset{\sim}{xy^2 i} - \underset{\sim}{yz j} + \underset{\sim}{3x^2 z k}$ ,

calculate  $\int_c \underset{\sim}{F} \cdot \underset{\sim}{d r}$

from  $A = (0,0,0)$  to  $B = (1,2,3)$  on the  
curve  $x = t, y = 2t^2, z = 3t^3$ .

**Answer**  $\int_A^B \underset{\sim}{F} \cdot \underset{\sim}{d r} = 7 \frac{61}{168}$ .

# \* Double Integral \*

## Example

Given  $f(x, y) = 4 - y^2$  in region  $R$  bounded by a straight line  $x = 0$ ,  $y = x$  and  $y = 2$ .

Find  $\iint_R f(x, y) dA$  in both order integrals.

**Answer**  $\iint_R f(x, y) dA = 4 \text{ unit}^2$ .

## **Example**

Using double integral, find the area of a region bounded by  $y = 5 - x^2$  and  $y = x + 3$ .

**Answer** The area of the region =  $4\frac{1}{2}$  unit<sup>2</sup>.